Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED C	
005110				B. WING		01/10/2013	
NAME OF PROVIDER OR SUPPLIER			STREET ADD	REET ADDRESS, CITY, STATE, ZIP CODE			
WESTVIEW HOSPITAL			3630 GUION RD INDIANAPOLIS, IN 46222				
(X4) ID PREFIX TAG	SUMMARY STA (EACH DEFICIENC ^A REGULATORY OR L		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (X5) (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) (X5) COMPLET DATE		COMPLETE	
S 000	INITIAL COMMENTS			S 000			
	This visit was for the investigation of a State complaint.						
	Complaint: IN00120800 Unsubstantiated, lack of sufficient evidence.						
	Date of Survey: 01-02 & 03-13 & 01-10-13						
	Facility number: 005110						
	Surveyor: John Lee, R.N. Public Health Nurse Surveyor						
	Westview Hospital is in compliance with 410 IAC 15-1.5-5, Medical staff, and 410 IAC 15-1.5-6, Nursing services, Hospital Licensure Rules.						
	QA: claughlin 01/17/	13					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE